AUTHOR INDEX

Abe, Y.
See Kiyomoto, H.
Adachi, H., Nagaoka, N., Nomoto, K., Yuzuriha, T. and Shoji, T.
E6010 on coronary thrombosis 309
Akaike, A.
Ionic mechanisms of muscarinic receptors 83
Akaike, N.
See Oyama, Y.
Aki, Y.
See Kiyomoto, H.
Asami, T.
See Kuribara, H.

Baba, A.
See Kitanaka, J.
Buxeraud, J.
See Thomes, J.C.

Chikahisa, L.
See Oyama, Y.
Chiyotani, A.
See Tamaoki, J.
Comby, F.
See Thomes, J.C.

Ebihara, A.
See Fujimura, A.
Egashira, T.
See Nagai, T.

Fujimura, A., Ohashi, K. and Ebihara, A.
Chronopharmacology of furosemide 461
Fujita, Akikazu, Takeuchi, T., Hata, F. and Yagasaki, O.
Role of PGE_2 in the pelvic ganglion 61
Fujita, Akira, Takahira, T., Hosono, M. and Nakamura, K.
Novel forskolin derivative, NKH477 375
Fujiwara, Michihiro
See Iwasaki, K.
Fujiwara, Motohatsu
See Kitagawa, S.
Fukuda, N., Izumi, Y., Soma, M., Watanabe, Y., Watanabe, Masashi and Hatano, M.
Effects of L-NMMA on vascular cyclic GMP 55
Furuichi, Y., Takakura, S., Satoh, H., Mori, J. and Kohsaka, M.
Nilvadipine on local cerebral blood flow 457

Gomi, Y.
See Suzuki, N.

Hara, H.
See Ikegami, A.
Harata, N.
See Oyama, Y.
Hata, F.
See Fujita, Akikazu
Hatano, M.
See Fukuda, N.
Hattori, T.
See Nagamatsu, T.
Hattori, Y. and Inomata, N.
Na channel blockade by antiarrhythmic agent 365
Hayashi, A.
See Oyama, Y.
Hikikoshi, A.
See Kogo, H.
Hirafuji, M. and Shinoda, H.
PAF antagonists on endothelial cells 231
Hirose, A.
See Shimizu, H.
Hirotsu, I., Horikawa, Y., Kihara, T., Ishihara, T. and Kanai, T.
Behavioral study on R-THBP 67
Hisayama, T.
See Kishii, K.
Hokonohara, T., Sako, K., Shinoda, Y., Tomabechi, M. and Yonemasu, Y.
Oxiracetam on LCGU in ischemic brain 127
Honda, K.
See Nishida, A.
Hong, H.
See Kiyomoto, H.
Horikawa, Y.
See Hirotsu, I.
Hosokawa, T.
See Misawa, M.
Hosono, M.
See Fujita, Akira
Huang, T.-F.
See Ko, F.-N.

Ida, I.
See Kuribara, H.
Ikegami, A., Ozaki, A., Hara, H., Sukamoto, T., Yamashita, S. and Ito, K.
KB-2796 and central dopaminergic system 399
Imaizumi, N.
See Kitagawa, S.
Imanishi, H.
See Mutoh, M.
Inagaki, H.
See Shinosaki, T.
Inazu, N.

AUTHOR INDEX

Abe, Y.
See Kiyomoto, H.
Adachi, H., Nagaoka, N., Nomoto, K., Yuzuriha, T. and Shoji, T.
E6010 on coronary thrombosis 309
Akaike, A.
Ionic mechanisms of muscarinic receptors 83
Akaike, N.
See Oyama, Y.
Aki, Y.
See Kiyomoto, H.
Asami, T.
See Kuribara, H.

Baba, A.
See Kitanaka, J.
Buxeraud, J.
See Thomes, J.C.

Chikahisa, L.
See Oyama, Y.
Chiyotani, A.
See Tamaoki, J.
Comby, F.
See Thomes, J.C.

Ebihara, A.
See Fujimura, A.
Egashira, T.
See Nagai, T.

Fujimura, A., Ohashi, K. and Ebihara, A.
Chronopharmacology of furosemide 461
Fujita, Akikazu, Takeuchi, T., Hata, F. and Yagasaki, O.
Role of PGE_2 in the pelvic ganglion 61
Fujita, Akira, Takahira, T., Hosono, M. and Nakamura, K.
Novel forskolin derivative, NKH477 375
Fujiwara, Michihiro
See Iwasaki, K.
Fujiwara, Motohatsu
See Kitagawa, S.
Fukuda, N., Izumi, Y., Soma, M., Watanabe, Y., Watanabe, Masashi and Hatano, M.
Effects of L-NMMA on vascular cyclic GMP 55
Furuichi, Y., Takakura, S., Satoh, H., Mori, J. and Kohsaka, M.
Nilvadipine on local cerebral blood flow 457

Gomi, Y.
See Suzuki, N.

Hara, H.
See Ikegami, A.
Harata, N.
See Oyama, Y.
Hata, F.
See Fujita, Akikazu
Hatano, M.
See Fukuda, N.
Hattori, T.
See Nagamatsu, T.
Hattori, Y. and Inomata, N.
Na channel blockade by antiarrhythmic agent 365
Hayashi, A.
See Oyama, Y.
Hikikoshi, A.
See Kogo, H.
Hirafuji, M. and Shinoda, H.
PAF antagonists on endothelial cells 231
Hirose, A.
See Shimizu, H.
Hirotsu, I., Horikawa, Y., Kihara, T., Ishihara, T. and Kanai, T.
Behavioral study on R-THBP 67
Hisayama, T.
See Kishii, K.
Hokonohara, T., Sako, K., Shinoda, Y., Tomabechi, M. and Yonemasu, Y.
Oxiracetam on LCGU in ischemic brain 127
Honda, K.
See Nishida, A.
Hong, H.
See Kiyomoto, H.
Horikawa, Y.
See Hirotsu, I.
Hosokawa, T.
See Misawa, M.
Hosono, M.
See Fujita, Akira
Huang, T.-F.
See Ko, F.-N.

Ida, I.
See Kuribara, H.
Ikegami, A., Ozaki, A., Hara, H., Sukamoto, T., Yamashita, S. and Ito, K.
KB-2796 and central dopaminergic system 399
Imaizumi, N.
See Kitagawa, S.
Imanishi, H.
See Mutoh, M.
Inagaki, H.
See Shinosaki, T.
Inazu, N.

See Iwata, N.
Inomata, N.
See Hattori, Y.
Ishihara, T.
See Hirotsu, I.
Ishii, M.
See Kamiya, J.
Ishii, Y., Kawai, T. and Watanabe, Minoru
Cyclopiazonic acid on sympathetic neuron 451
Ito, H.
See Nishida, A.
Ito, K.
See Ikegami, A.
Ito, M.
See Nagamatsu, T.
Iwabuchi, Y., Masuhara, T. and Sofuku, S.
SP analogs on submandibular gland 325
Iwama, T., Komatsu, N., Shikada, K. and Tanaka, S.
Anti-asthmatic drugs reverse bronchospasm 19
Iwao, H.
See Kiyomoto, H.
Iwasaki, K., Matsumoto, Y. and Fujiwara, Michihiro
Nebracetam on spatial cognition 117
Iwata, N., Inazu, N. and Satoh, T.
Effect of disulfiram on carbonyl reductase 167
Izumi, Y.
See Fukuda, N.

Kagami-ishi, Y.
See Shibata, S.
Kamato, T.
See Nishida, A.
Kamei, J.
See Misawa, M.
Kamiya, J., Ishii, M. and Katakami, T.
Antiarrhythmic effects of MS-551 107
Kanai, T.
See Hirotsu, I.
Kasai, H. and Yanagihara, Y.
Inhibition of LT specific binding by AS-35 357
Kasai, H., Kawashima, T., Omura, S.
and Yanagihara, Y.
Leukotriene antagonistic activity of AS-35 347
Kashima, K.
See Tatsumi, Y.
Katakami, T.
See Kamiya, J.
Kataoka, Y.
See Shindou, T.
Kato, H.
See Kurihara, J.
Kawai, T.
See Ishii, Y.
Kawashima, T.
See Kasai, H.
Kigoshi, S.
See Takita, M.
Kihara, T.
See Hirotsu, I.
Kinami, J., Qu, Y.-L., Tsuchihashi, H., Nagatomo, T.,
Maniwa, T. and Miyagishi, A.
Ca^{2+}-antagonistic effects of SM-6586 75
Kishii, K., Hisayama, T. and Takayanagi, I.
Carbachol and ATP in rabbit detrusor 219
Kita, J.
See Mori, H.
Kitagawa, S., Yamaguchi, Y., Imaizumi, N.,
Kunitomo, M. and Fujiwara, Motohatsu
Lipid changes during inflammation 37
Kitaichi, K.
See Mori, H.
Kitajima, I., Yamamoto, T., Ohno, M. and Ueki, S.
Hippocampus and working memory 175
Kitanaka, J. and Baba, A.
Effect of dBcAMP-treatment on PI hydrolysis 189
Kiyomoto, H., Matsuo, H., Tamaki, T., Aki, Y.,
Hong, H., Iwao, H. and Abe, Y.
Nitric oxide and autoregulation of RBF 147
Ko, F.-N., Wu, T.-S., Lu, S.-T., Wu, Y.-C.,
Huang, T.-F. and Teng, C.-M.
Ca^{2+}-channel blocking properties of protopine 1
Kobayashi, T., Yamauchi, R. and Murata, S.
Ca antagonists and neuronal Ca increase 417
Koda, A.
See Mori, H.
Kodama, T.
See Tatsumi, Y.
Kogo, H. and Hikikoshi, A.
Effects of clomiphene on $PGF_{2\alpha}$ fluctuations 197
Kohsaka, M.
See Furuichi, Y.
Koizumi, S.
See Shindou, T.
Kojima, N.
See Nagamatsu, T.
Kojima, R.
See Nagamatsu, T.
Komatsu, N.
See Iwama, T.
Kondo, N.
See Nagamatsu, T.
Konno, K.
See Tamaoki, J.
Kontani, H., Nakagawa, M. and Sakai, T.
Drugs and urinary incontinence in rabbits 339
Kudo, Y.
See Nagai, T.
Kumasaka, Y.
See Shimizu, H.
Kunitomo, M.
See Kitagawa, S.
Kuribara, H., Asami, T., Ida, I. and Tadokoro, S.

Ambulation-increasing effect of MK-801 11
Kurihara, J., Tomita, H. and Kato, H.
Cerebral ischemia and anesthesia 259
Kuriyama, K.
See Tatsumi, Y.

Lagorce, J.F.
See Thomes, J.C.
Lu, S.-T.
See Ko, F.-N.

Maeyama, K., Taguchi, Y., Sakurai, E., Sasaki, M., Yamatodani, A. and Watanabe, T.
PKC inhibitors and histamine release 291
Maniwa, T.
See Kinami, J.
Masuhara, T.
See Iwabuchi, Y.
Masukawa, Y.
See Suzuki, T.
Matoba, H.
See Oyama, Y.
Matsuki, N.
See Mutoh, M.
See Nagata, K.
Matsumoto, Y.
See Iwasaki, K.
Matsuo, H.
See Kiyomoto, H.
Misawa, M.
See Suzuki, T.
Misawa, M., Takahashi, Y., Kamei, J. and Hosokawa, T.
Inhibitory reflex in airway 331
Miyagishi, A.
See Kinami, J.
Miyata, K.
See Nishida, A.
Mori, H., Sakamoto, O., Kitaichi, K., Koda, A. and Kita, J.
Lower immunosuppressive fluoropyrimidines 269
Mori, J.
See Furuichi, Y.
Muramatsu, I.
See Takita, M.
Murata, S.
See Kobayashi, T.
Mutoh, M., Imanishi, H., Torii, Y., Tamura, M., Saito, H. and Matsuki, N.
Cisplatin-induced emesis in suncus 321

Nagai, T., Egashira, T., Kudo, Y., Yamanaka, Y. and Shimada, T.
Glycyrrhizin in liver ischemia 209
Nagamatsu, T., Kojima, N., Kondo, N., Hattori, T., Kojima, R., Ito, M. and Suzuki, Y.
Antinephritic effect of cyclosporin A 27
Nagaoka, N.
See Adachi, H.
Nagase, H.
See Suzuki, T.
Nagata, K., Saito, H. and Matsuki, N.
Neurokinin A and neurotransmission 427
Nagatomo, T.
See Kinami, J.
Nakagawa, M.
See Kontani, H.
Nakai, T.
See Shinosaki, T.
Nakamura, K.
See Fujita, Akira
Nakamura, M.
See Shimizu, H.
Nakanishi, H.
See Shindou, T.
Nishida, A., Yuki, H., Tsutsumi, R., Miyata, K., Kamato, T., Ito, H., Yamano, M. and Honda, K.
Antisecretory effects of L-365,260 137
Nomoto, K.
See Adachi, H.

Oh-ishi, S.
See Yamaki, K.
Ohashi, K.
See Fujimura, A.
Ohkuma, S.
See Tatsumi, Y.
Ohno, M.
See Kitajima, I.
Okabe, S.
See Ueshima, K.
Omura, S.
See Kasai, H.
Ono, M. and Satoh, T.
Antinociception of lappaconitine 251
Osugi, T.
See Wang, X.-B.
Oyama, Y., Chikahisa, L., Hayashi, A., Ueha, T., Sato, Mitsuhiro and Matoba, H.
Triphenyltin on CNS neuron 467
Oyama, Y., Harata, N. and Akaike, N.
Quinidine on CNS I_A 185
Ozaki, A.
See Ikegami, A.

Qu, Y.-L.
See Kinami, J.

Raby, C.
See Thomes, J.C.

Saito, H.

See Mutoh, M.
See Nagata, K.
Sakai, N.
See Tamaoki, J.
Sakai, T.
See Kontani, H.
Sakamoto, O.
See Mori, H.
Sako, K.
See Hokonohara, T.
Sakurai, E.
See Maeyama, K.
Sasaki, M.
See Maeyama, K.
Sato, Mitsuhiro
See Oyama, Y.
Satoh, H.
See Furuichi, Y.
Satoh, Mitsutoshi and Takayanagi, I.
Aging and guinea pig tracheal smooth muscle 383
Satoh, T.
See Iwata, N.
See Ono, M.
Shibata, S., Kagami-ishi, Y., Ueki, S. and Watanabe, S.
Neuroprotective effect of nebracetam 243
Shikada, K.
See Iwama, T.
Shimada, T.
See Nagai, T.
Shimizu, H., Kumasaka, Y., Tanaka, H., Hirose, A. and Nakamura, M.
Anticonflict action of tandospirone 283
Shinagawa, Y.
MO studies of COMT inhibitors 95
Shindou, T., Koizumi, S., Kataoka, Y., Watanabe, S., Yamamoto, K. and Nakanishi, H.
NMDA-mediated inhibition of DA release 79
Shinoda, H.
See Hirafuji, M.
Shinoda, Y.
See Hokonohara, T.
Shinosaki, T., Inagaki, H., Nakai, T., Yamashita, T. and Yonetani, Y.
Plasma uric acid in cebus monkeys 443
Shinozaki, Y.
See Suzuki, T.
Shoji, T.
See Adachi, H.
Sofuku, S.
See Iwabuchi, Y.
Soma, M.
See Fukuda, N.
Sukamoto, T.
See Ikegami, A.
Suzuki, N. and Gomi, Y.
Effects of CP-96,345 on peristalsis 473
Suzuki, T., Shinozaki, Y., Masukawa, Y., Misawa, M. and Nagase, H.
Opioid receptors and cocaine 435
Suzuki, Y.
See Nagamatsu, T.

Tadokoro, S.
See Kuribara, H.
Taguchi, Y.
See Maeyama, K.
Takahashi, Y.
See Misawa, M.
Takahira, T.
See Fujita, Akira
Takakura, S.
See Furuichi, Y.
Takayanagi, I.
See Kishii, K.
See Satoh, Mitsutoshi
Takeuchi, K.
See Ueshima, K.
Takeuchi, T.
See Fujita, Akikazu
Takeyama, K.
See Tamaoki, J.
Takita, M., Kigoshi, S. and Muramatsu, I.
Bevantolol on adrenoceptor subtypes 193
Takizawa, T.
See Tamaoki, J.
Tamaki, T.
See Kiyomoto, H.
Tamaoki, J., Takeyama, K., Chiyotani, A., Sakai, N., Takizawa, T. and Konno, K.
Saiboku-to and airway ion transport 47
Tamura, M.
See Mutoh, M.
Tanaka, H.
See Shimizu, H.
Tanaka, S.
See Iwama, T.
Tatsumi, Y., Kodama, T., Kashima, K., Ohkuma, S. and Kuriyama, K.
Oxygen radicals & glycoprotein metabolism 391
Teng, C.-M.
See Ko, F.-N.
Thomes, J.C., Comby, F., Lagorce, J.F., Buxeraud, J. and Raby, C.
Sites of action of 2-thiazoline-2-thiol 201
Tomabechi, M.
See Hokonohara, T.
Tomita, H.
See Kurihara, J.
Torii, Y.
See Mutoh, M.
Tsuchihashi, H.

See Kinami, J.
Tsutsumi, R.
See Nishida, A.

Uchida, S.
See Wang, X.-B.
Ueha, T.
See Oyama, Y.
Ueki, S.
See Kitajima, I.
See Shibata, S.
Ueshima, K., Takeuchi, K. and Okabe, S.
Mucosal SH and indomethacin-induced lesion 157

Wang, X.-B., Osugi, T. and Uchida, S.
Muscarinic Ca influx and release 407
Watanabe, Masashi
See Fukuda, N.
Watanabe, Minoru
See Ishii, Y.
Watanabe, S.
See Shibata, S.
See Shindou, T.
Watanabe, T.
See Maeyama, K.
Watanabe, Y.
See Fukuda, N.
Wu, T.-S.
See Ko, F.-N.
Wu, Y.-C.
See Ko, F.-N.

Yagasaki, O.
See Fujita, Akikazu
Yamaguchi, Y.
See Kitagawa, S.
Yamaki, K. and Oh-ishi, S.
Eicosanoids production in rat leukocytes 299
Yamamoto, K.
See Shindou, T.
Yamamoto, T.
See Kitajima, I.
Yamanaka, Y.
See Nagai, T.
Yamano, M.
See Nishida, A.
Yamashita, S.
See Ikegami, A.
Yamashita, T.
See Shinosaki, T.
Yamatodani, A.
See Maeyama, K.
Yamauchi, R.
See Kobayashi, T.
Yanagihara, Y.
See Kasai, H.
Yonemasu, Y.
See Hokonohara, T.
Yonetani, Y.
See Shinosaki, T.
Yuki, H.
See Nishida, A.
Yuzuriha, T.
See Adachi, H.

SUBJECT INDEX

Acetylcholine 55, 83
Acute-phase proteins 37
Adrenal medulla 83
Adrenalectomy 461
α-Adrenoceptor 193
β-Adrenoceptor 193
α_2-Adrenoceptors 383
Aging 383
Airway epithelium 47
Ambulation-increment 11
Ambulatory activity 67
9-Anthryldiazomethane (ADAM) -HPLC 299
Anti-asthmatic drug 19
Anti-glomerular basement membrane (GBM) nephritis 27
Antiarrhythmic agent 365
Antiarrhythmic agent (class III) 107
Anticonflict action 283
Antigen 19
Antinociception 251
Antithyroid action 201
Anxiolytics 283
Arachidonate metabolites 299
Arachidonic acid release 299
L-Arginine 55, 147
AS-35 (9-[(4-acetyl-3-hydroxy-2-*n*-propylphenoxy)-methyl]-3-(1*H*-tetrazol-5-yl)-4*H*-pyrido[1,2-*a*]-pyrimidin-4-one) 347, 357
Ascaris suum antigen 331
Asthma 47
Astrocytes 189
ATP 219
Autoregulation of renal blood flow 147

Barbiturates 259
Basophilic leukemia cells (2H3) (rat) 291
Bethanechol 137
Bevantolol 193
Brain ischemia 243
Brain lesions 175
Bronchoconstriction 19, 347
Buprenorphine 435

Ca^{2+} antagonist(s) 75, 399, 417
Ca^{2+} influx 1, 407
Calcium 219
Calcium channel blocker 457
Calcium mobilization 231
Carbachol 219
Carbonyl reductase 167
Cardiotonic 375
Catechol O-methyltransferase (COMT) 95
Catecholamine metabolism 67
Caudate 83
Central dopaminergic system 399
Central-acting drugs 11
Cerebellar neuron 467
Cerebral ischemia 127, 259
Charge-transfer complex 201
Chronopharmacology 461
Clentiazem (TA-3090, (+)-(2*S*,3*S*)-3-acetoxy-8-chloro-5-(2-dimethylamino)ethyl)-2,3-dihydro-2-(4-methoxyphenyl)-1,5-benzothiazepine-4-(5-*H*)-one maleate 417
Clomiphene 197
Clonidine 339
CNS neuron 185
Cocaine 435
Combined effects 11
Competitive inhibition 201
Conscious cebus monkeys 443
Coronary thrombosis 309
Cortex 127
Corydalis tubers 1
CP-96,345 ((2*S*,3*S*)-*cis*-2-(diphenylmethyl)-*N*-((2-methoxyphenyl)methyl)-1-azabicyclo[2,2,2]octan-3-amine dihydrochloride) 473
Cyclic AMP 47
Cyclic GMP 55
Cyclosporin A 27

2-Deoxyglucose uptake 243
Detrusor muscle 219
Dibutyryl cyclic AMP 189
Disulfiram 167
Dopamine release 79

Electrical stimulation 309
Electron microscopy 209
Endogenous sulfhydryl 157
Endothelial cells (human) 231
Endothelium-derived relaxing factor (EDRF) 147
Estradiol 197

5-Fluorouracil 269
5-Fluorouridine 269
Free cholesterol 37
Fura-2 407, 417
Furosemide 461

Gastric acid secretion 137
Gastric lesion 157
Gastric motility 157
Gastric mucosa 391
Globus pallidus 79
Glucosamine synthetase 391

Glycoprotein metabolism 391
Glycyrrhizin 209

Halothane 259
Handling stress 443
Heart-lung preparation 375
Hippocampal neuron 417
Hippocampus 175
Histamine 19, 137, 291, 331
Histidine decarboxylase 291
5-HT_{1A} receptors 283
Humoral antibody 269
Hydroxyl-radical 209

Ileum 347
Immunosuppression 27
Immunosuppressive activity 269
Inactivation of I_{Na} 365
Indomethacin 157
Inflammation 37
Intracellular Ca release 451
Intracellular Ca^{2+} 291, 467
Ion transport 47
Ischemia-reperfusion 209

Kampo medicine 47
KB-2796 (1-[bis(4-fluorophenyl)methyl]-4-(2,3,4-trimethoxybenzyl)piperazine dihydrochloride) 399

L-365,260 (*3R*(+)-*N*-(2,3-dihydro-1-methyl-2-oxo-5-phenyl-1*H*-1,4-benzodiazepin-3-yl)-*N'*-(3-methylphenyl)urea) 137
Lappaconitine 251
Liver 209
Local cerebral blood flow 457
Local cerebral glucose utilization 127
LT antagonistic action 347, 357
LTC_4 357
LTD_4 357

Mesenteric artery 55
Metabolite of cisplatin 321
α-Methyltyrosine 67
Middle cerebral artery occlusion 127
MK-801 ((+)-5-methyl-10,11-dihydro-5*H*-dibenzo-[*a*,*d*]cyclohepten-5,10-imine) 11
Molecular orbital (MO) 95
MS-551 (1,3-dimethyl-6-{2-[*N*-(2-hydroxyethyl)-3-(4-nitrophenyl)propylamino]ethylamino}2,4(1*H*,3*H*)-pyrimidinedione hydrochloride) 107
Muscarinic receptor 83, 407

Na channel 365
Naltrexone 435
Nebracetam 117
Neurokinin A 427
Neuroprotection 243
Neurotoxin lesions 251
Neurotransmission 61, 427
L-N^G-nitro-arginine 147
Nilvadipine 457
Nitric oxide 147
NKH477 (6-(3-dimethylaminopropionyl)forskolin hydrochloride) 375
NMDA (*N*-mehtyl-D-aspartate) 79
NMDA antagonist 11
L-NMMA (L-N^G-monomethyl arginine) 55
Nootropic drugs 243
Noradrenergic system 251
Novel antitumor agent 269

Ovary 167
Ovulation 167
Oxiracetam 127
Oxygen radicals 391

Patch clamp 83
Pelvic ganglion 61
Pentagastrin 137
Peristalsis 473
Peritoneal macrophages (rat) 299
Phenylephrine 339
Phosphoinositide hydrolysis 189
Phosphoinositide turnover 407
Phospholipids 37
Pilsicainide 365
Place preference 435
Platelet activating factor (PAF) antagonists 231
Platelet activating factor (PAF) receptors 231
Polymorphonuclear leukocytes (rat) 299
Postsynaptic potentiation 427
Prostacyclin 231
Prostaglandin E_2 61
Prostaglandin $F_{2\alpha}$ 383
Prostaglandin $F_{2\alpha}$ fluctuations 197
Protein kinase C 291
Proteinuria 27
Protopine 1

Quinidine 185

Radial arm maze 117
Radioligand binding assay 75
Reference memory 175
Reversing effect 19
Runway task 175

Salivary secretion 325
Scopolamine 117
Serotonergic system 251
Single cell 383
SM-6586 (methyl 1,4-dihydro-2,6-dimethyl-3-{3-*N*-

benzyl-*N*-methylaminomethyl)-1,2,4-oxadiazolyl-5-yl]-4-(3-nitrophenyl)pyridine-5-carboxylate) 75
Smooth muscle 407
d-Sotalol 107
Spatial cognition 117
Specific binding 357
Spike after-hyperpolarization 451
[^{3}H]Spiperone binding 399
ST-1059 (alpha-(2,5-dimethoxyphenyl)-beta-amino-ethanol) 339
Submandibular glands 325
Substance P 473
Substance P (6-11) analogs 325
Suncus 321
Sympathetic neuron 451
Synaptosome 417

Tandospirone (SM-3997: 3aα,4β,7β,7aα-hexahydro-2-(4-(4-(2-pyrimidinyl)-1-piperazinyl)-butyl)-4,7-methano-1*H*-isoindole-1,3(2*H*)-dione dihydrogen citrate) 283
Tetrahydrocannabinol (THC) 117
R-THBP (6-(*R*)-5,6,7,8-tetrahydro-L-erythrobiopterin dihydrochloride) 67
2-Thiazoline-2-thiol 201
Thoracic aorta (rat) 1
Thrombolysis 309
Thyroid peroxidase 201
Tissue plasminogen activator (t-PA) 309
Trachea (guinea pig) 347, 383
Tracheal constriction 331
Transient K^+ current 185
Triphenyltin 467

U-50,488H (*trans*-3,4-dichloro-*N*-methyl-*N*-(2-1-pyrrolidinyl)-cyclohexyl)-benzeneacetamide) 435
Uniform lipid alteration 37
Urethra (female rabbit) 339
Uric acid 443
Urinary incontinence 339

Vagal baroreflex 259
Vagal reflex 331
Vagotomy 321
Vas deferens (guinea pig) 61
Vas deferens (rat) 427
Vasorelaxation 1
Ventricular myocytes (isolated) 365

Water-soluble forskolin derivative 375
Working memory 175